



OWEN EQUIPMENT
1085 Horizon Drive Fairfield, CA 94533
Fairfield Main Line: (707) 422-2333

Lake County
Attn: Vinson Myrick
Date: March 17th 2026



Proposed Equipment and Pricing

Item	Description	Unit Price
ERB800	Spin Doctor ERB Boom – Horizontally aligned boom with up to 800 ft lbs of torque.	\$18,730.00
VAC300D	300 gallon 49.6bhp C2.2 CAT Diesel	\$67,720.00
VAC-HJ	Manual Hose Jib	\$1,186.00
ERB-VM	Vehicle Mounting Plate for ERB800.	\$1,413.00
VSG6-AUTO	ValveStar G6 Auto – Includes everything from VSG6, with added hands-free capabilities.	\$11,965.00
SOCKET-TIGHT	Adapter for turning stripped valve stems	\$1,750.00
Additional Equipment	Light bar, Cone Holder, Pressure Washer and Tool Box	\$1,887.00

Pricing Summary

	Amount
Subtotal	\$104,651.00
Sales Tax (8.750%) 7.05%	\$9,156.96 7587.20
Freight Estimate (Not Taxed)	\$4,500.00
Total	\$118,307.96 116,738.20


Notes

- Prices are valid for 30 days from the date of this quote.
- Freight is estimated and subject to change based on final shipment details.
- Sales tax calculated based on the current rate for Walnut Creek, CA.
- Installation, if required, is not included unless otherwise noted.
- For custom mounting requirements, please contact us to review available solutions.

Please feel free to reach out with any questions or to proceed with the order.

Kelly McGrath

Account Territory Manager
Mobile: (707)481-9849
1085 Horizon Dr. | Fairfield CA. 94533



Quote #: OE-082925-ERB

BECKIE HURLEY

VICE PRESIDENT
BECKIE@HURCOTECH.COM
605-359-8511



HURCO
TECHNOLOGIES, INC.®

March 17th 2026

Subject: Authorized Dealer

To Whom It May Concern;

Hurco Technologies, Inc. is the sole manufacturer of its products. Owen Equipment is the authorized representative in California for Hurco's hydro excavation and valve exercising products, repairs, and maintenance.

Owen Equipment
1085 Horizon Drive
Fairfield, CA 94533
707-422-2333

Please contact me with any questions: 800-888-1436.

Regards,

Beckie Hurley

Vice President

DEMONSTRATIONS,
VIDEOS & MORE

HURCOTECH.com

409 ENTERPRISE STREET - HARRISBURG, SD 57032 - 800-888-1436 - INFO@HURCOTECH.COM



HURCO
TECHNOLOGIES, INC.



VALVE & HYDRANT
MAINTENANCE AND DATA
COLLECTION SYSTEMS

Spin Doctor 400™

The most affordable of the Spin Doctor line, the Spin Doctor 400 really gets the job done. Our Spin Doctor 400 is a durable design that will handle any valve or hydrant requiring up to 400 ft. lbs of torque. This includes nearly every municipal water supply valve made.



Spin Doctor 800™

The Spin Doctor 800 is a rugged and powerful valve exerciser. Teamed with an 800 ft lb hydraulic motor, the Spin Doctor 800 gives you the power you need for those really tough valves. Direct drive means you have the speed you need for those large and gear operated valves.



Spin Doctor ERB-800™

The Spin Doctor ERB-800 uses the same quality features as the Spin Doctor 800 except it works on a primary horizontal axis with a hydraulically controlled vertical lift in the second arm. This patented feature makes accessing a valve or hydrant easier, and with the pivoting head, connection to the valve or hydrant is fast and easy!



Performance

Spin Doctor™ Features and Options



Performance	SD400	SD800	ERB800
Capacity	Operates valves of all sizes	Operates valves of all sizes	Operates valves of all sizes
Speed	0 - 60, depending on hydraulic supply flow	0 - 60, depending on hydraulic supply flow	0 - 60, depending on hydraulic supply flow
Torque	0 - 400 ft lbs	0 - 800 ft lbs - 0 - 1500 ft lbs optional	0 - 800 ft lbs - 0 - 1500 optional
Range	Approximately 270 degrees with Extended Reach, 180 degrees without	Approximately 270 degrees with Extended Reach, 180 degrees without	Approximately 270 degrees
Reach	Horizontal: 13' with ER; 9' without Vertical: 4' below surface, 7' above surface	Horizontal: 13' with ER; 9' without Vertical: 4' below surface, 7' above surface	Horizontal: 13' Vertical: 4'
Alignment	Self leveling head to allow for connection to valve not perfectly straight	Self leveling head to allow for connection to valve not perfectly straight	Self leveling head to allow for connection to valve not perfectly straight
Head Tilt	90 degrees side to side 22 degrees front to back	90 degrees side to side 22 degrees front to back	22 degrees side to side 22 degrees front to back
ValveSTAR Capable	No	Yes - Can still run in manual mode when equipped with ValveSTAR option	Yes - Can still run in manual mode when equipped with ValveSTAR option

Features

- All booms come with a LIFETIME WARRANTY for failure due to torque
- All valve exercisers are capable of being mounted by truck, trailer, or vacuum. Slides into any standard 2" receiver hitch.
- Supplied with valve key to operate standard AWWA 2" nut. Telescopic 4' to 9' range, with 3' extension pieces available.
- Unique vertical range allows for valve exercisers to easily reach hydrants & valves on a hill or in a ditch.
- Vertically positioned SD400 and SD800 allow for reaching over fences and bushes without damaging them.
- When equipped with the ValveStar or ValveStar Auto, the SD800 and ERB800 can still function in manual mode for emergency situations, or when there is a computer failure.

Optional Equipment

- ValveStar - Allows for capturing all exercising data. Uses IMS software to create work orders, store data, and create detailed reports, (included with ValveStar).
- ValveStar Auto - Works in conjunction with the ValveStar to allow for hands free exercising.
- Power Pack - Available in 6.5HP for the SD400, or 13HP for any of the options.
- Trailer - Small trailer unit to contain all of your valve exercising equipment.
- Vacuum - Utility vacuum to allow for an all in one system for cleaning and maintaining valves.
- Slick Stick - Loosens corrosion on valve stems

HURCO
TECHNOLOGIES, INC.
HURCOtech.com
1-800-888-1436







600 Knightsbridge Parkway, Lincolnshire, Illinois 60069
(847) 537-8800 | Fax (847) 520-1147
turnvalves.com

Quotation

Page 1 of 2

TO: **Vince Myrick**
Lake County Special Districts
230 A Main Street
Lakeport, CA 95453

Date: 5/13/2026
Quotation Number: CD256933
Payment Terms: Net 30 Days
Shipping Terms: FCA Origin
Valid Through: 7/12/2026
Estimated Ship Date: 8 Weeks ARO
Reference: CD254357

E.H. Wachs is pleased to offer the following quotation.

Item Number	Description	Qty	U/M	Unit Price (USD)	Line Total (USD)
1 77-000-54	Standard LX (Diesel) – VMS (RH): Single turner valve maintenance skid; includes Wachs 750 ft-lb (1020 Nm) Extended Reach Valve operator for those preventive maintenance activities, telescoping valve key and Wachs ruggedized TC-100 with GPS controller/datalogger. A Tier 4F compliant, Kubota 1.1L, I-3 4-stroke, liquid cooled, IDI diesel engine provides ample power for all contained functions, including an auxiliary HTMA Class II circuit; 10 gallon (38 L) reservoir, fan cooled heat exchanger, continuous duty rated for 8 GPM (30.3 LPM) @ 2,000 PSI (140 bar). A positive displacement blower provides 500 CFM (14.2 cmm)-11" (280mm) Hg vacuum, with spoils containment provided by a 250 (950 L) gallon tank with power hydraulic dump (rear discharge) and latching rear door. Also driven from the common power train is a 2.5 GPM (9.5 LPM) @ 3000 PSI (210 bar) pressure washer system with 3 gallon (11.4 L) anti-freeze tank and 95 gallon (360 L) water tank. Includes 2-1/2" (63.5mm), 1-1/4" (31.75mm) & 7/8" (22mm) suction wands and one each short and long wash-down guns. The LX package bundles the service light bar with arrow board, 45' (14 M) auxiliary hydraulic hose reel for operation of hydraulic power tools & Bluetooth tethering module (installed in ERV-750) for wireless communication between the exerciser and Controller/Data Logger.	1	EA	99,000.00	99,000.00
2 77-400-00	8,000 GVRW VMS Bunk Trailer manufactured by Karavan Trailers for Wachs. Perimeter frame deck area approximately 8' x 6' with three cross braces for installation of Wachs Standard VMS with provision to add Wachs TM-7 HD Plus. Single torsion flex, sure lube axle, 12" electric brakes running on ST255/85R16E radial tires rated to 4,080 pounds. The trailer is two coat, black wet painted to match the skid platform, utilizes a 2,500 jack and is interfaced with a standard 3" pintle ring. All lighting is LED and fully grounded.	1	EA	11,159.00	11,159.00
3 77-409-01	A-Frame Job Box for VMS Trailer. 66" Long, 15" deep and 18" Tall. Twin interconnected latches with lock on street side and dedicated storage pocket for manuals. Sturdy .100" thick, polished diamond plate aluminum, watertight with gas springs on full 90 degree lid.	1	EA	1,402.00	1,402.00

Subtotal	111,561.00
Motor Freight	8,280.00
Tax	8688.47
Total (USD)	\$119,841.00
Total	\$128,529.47



600 Knightsbridge Parkway, Lincolnshire, Illinois 60069
(847) 537-8800 | Fax (847) 520-1147
turnvalves.com

Quotation

Page 2 of 2

TO: **Vince Myrick**

Date: 5/13/2026

Quotation Number: CD256933

~IMPORTANT~

Pricing does NOT include SALES TAX!!! SALES TAX will be added on when then the PO is ready. We collect sales tax in all but the following states: AK, DE, MT, OR and NH. If you are tax exempt, please supply your identification number and certificate with your order. If your exempt number is not on file, tax will be added to your order when purchasing. Certain items may not have SHIPPING included until the item is ready to be purchaed.

To place an order:
Ken Redding
Inside Sales Rep
847-484-2773
ken.redding@ehwachs.com

For questions, technical support, or for rental availibilty:
Chris Damkoehler
Territory Manager - Northwest
424-304-4937
chris.damkoehler@ehwachs.com

Sales of E.H. Wachs products and services are expressly limited to and made conditional on acceptance of its current Terms and Conditions of Sale, found at ehwachs.com ("Terms"). Any additional or different terms are hereby rejected. Commencement of work by E.H. Wachs or acceptance of delivery of products by you constitutes your acceptance of the Terms.

See additional tariff related Terms and Conditions at ehwachs.com.




Utility Products
The Valve Maintenance Experts™

Standard LX VMT
Valve Maintenance Trailer



Complete, Portable, Self-Contained Valve Maintenance System



**TRUE
HANDS-FREE
VALVE EXERCISING**



**FULLY
ENGINEERED
VALVE MAINTENANCE
SYSTEM**



**UNMATCHED
FUNCTIONALITY &
STORAGE**



Wachs Standard LX VMT trailer is the industry standard for a self-contained, portable system that includes all the tools needed for municipalities and water organizations to complete a valve maintenance program.

The Standard LX trailer comes equipped with our industry-leading ERV-750 extended reach valve exerciser, plus the TC-100 wireless handheld tablet controller/datalogger with GPS and VITALS®. Wachs VITALS software eliminates misdirection and over-torquing of valves, allowing you to set torque limits and record infrastructure details including

location, valve-operating direction, torque applied and more.

Other standard equipment includes a powerful 500CFM-11 inHg vacuum, with a 250 gallon spoils tank that features a hydraulic slide, tilt & dump and power latching rear discharge door. Configured with large, watertight and lockable diamond plate storage boxes, it includes the Valve Box Buddy portable vault cover magnetic lifting tool, making it more versatile than ever. For those preferring a truck mounted system the Standard LX is also available as a VMS valve maintenance skid.



Standard LX comes complete with TC-100 tablet controller with VITALS® software preloaded

Intermountain Sales | 3792 S. Lipan St. Englewood, CO 80110 | (303) 762-1070 | forms@intermntnsales.com | intermntnsales.com

Trailer:	7000 lb. (3175 Kg) GVWR single axle trailer, frame structural steel with metal deck, torsion wheel suspension, electric brakes, LED lighting, Pintle hitch w/ safety chains
Gasoline Engine:	27 HP Kohler Command Pro, electronic ignition, v-twin 4 stroke, air cooled
Diesel Engine:	26 HP Kubota Tier 4 compliant, 1.1 liter 4 stroke I-3 liquid cooled IDI
Fuel Tank:	10 gallon (38 liter) DOT approved aluminum tank, formed end caps, fuel gauge
Valve Exerciser:	ERV-750 extended reach, 750 ft-lb articulating arm valve exerciser
Controller:	TC-100 tablet controller and datalogger with VITALS software & Bluetooth
Vacuum:	500 CFM-11 inHg positive displacement vacuum blower
Spoils Tank:	250 gallon (946 liter) tank with hydraulic powered slide, tilt, dump feature
Spoils Handling:	Heavy duty 20 foot x 3 inch diameter flex hose with 3 steel suction wands
Washer System:	High pressure system with 95 gallon (360 liter) fresh water tank
Washer Reel:	50 foot (15.2M) retractable washer hose reel with short and long wands
Washer Pump:	Clutch operated, dual belt drive, 2.5 GPM @ 3,000 PSI
Hydraulic Power Unit:	HTMA Class II circuit, fan cooled heat exchanger, 8 GPM @ 2000 PSI
Hydraulic System:	10 gallon (38 liter) hydraulic reservoir, 50 foot (15.2M) hydraulic hose reel
Light Package:	LED spotlights and programable arrow board with locking control panel
Job Boxes:	Heavy duty, locking, watertight diamond plate aluminum, with gas springs
Cover Lifter:	Valve Box Buddy lifter for removal of cast iron or steel valve box covers



Expanded storage with locking diamond plate watertight job boxes for added security




ERV-750 uses unique disk brake system for rigidity, and hydraulic sensors for true hands-free operation



All major systems and operating controls are located curbside for operator safety

OPTIONAL EQUIPMENT

- Additional telescoping valve keys and extensions
- 45 lb. hydraulic breaker and attachments
- Trimble R2 GNSS receiver, with centimeter accuracy
- Valve Nut Rx replacement valve nut kit
- Hydraulic powered dewatering pumps
- Diamond Wire Guillotine pipe saw



INTERMOUNTAIN SALES, INC.

Utility Tools for Today!
Phone: (303) 762-1070

Quote #:	IMSQ8307
Date:	Apr 4, 2026
Expiration:	5/4/2026

Main Office: 3792 S. Lipan St. Englewood, CO 80110
Utah Office: 6041 South Foxhills Dr. Taylorsville, UT 84129

Prepared For:
 Vinson Myrick
 Lake County Special Districts
 Phone (707) 245-5337
 2485 Old Highway 53

Clearlake CA 95422-9113
 vinson.myrick@lakecountycal.gov

Your Account Manager:
Joel Pauling
 joelp@intermntnsales.com
 303-762-1070
 3792 S. Lipan
 Englewood, CO 80110
 United States

Qty	Description	Unit Price	Ext. Price
1	77-000-38 Standard LX (Diesel)- VMT (RH): Single turner valve maintenance trailer; includes Wachs 750 Ft/lb. Extended Reach Valve operator for those preventive maintenance activities, telescoping valve key and Wachs ruggedized TC-110 with GPS controller/datalogger. A Tier 4F compliant, Kubota 1.1 L, 1-3 4-stroke, liquid cooled, IOI diesel engine provides ample power for all contained functions, including an auxiliary HTMA Class II circuit; 10-gallon reservoir, fan cooled heat exchanger, continuous duty rated for 8 GPM at 2,000 PSI. A positive displacement blower provides 500 CFM-11" Hg vacuum, with spoils containment provided by a 250-gallon tank with power hydraulic dump (rear discharge) and latching rear door. Also driven from the common power train is a 2.5-GPM at 3,000 PSI pressure washer system with 3-gallon anti-freeze tank and 95-gallon water tank. Includes 2-1/2", 1-1/4", & 7/8", suction wands and one short and long wash-down gun. The LX package bundles the service light bar with arrow board, 45' auxiliary hydraulic hose reel for operation of hydraulic power tools & Bluetooth tethering module (installed in ERV-750) for wireless communication between the exerciser and Controller/Data Logger and 24" X 18" x 18" aluminum job box.	\$108,800.00	\$108,800.00



Qty	Description	Unit Price	Ext. Price
1	79-430-20 Field training - 1 day program.	\$2,499.00	\$2,499.00

Payment Options

- ☐ Credit Card Purchase (purchase amount \$124,768.18)
☐ Check Purchase (purchase amount \$124,768.18)

SubTotal	\$111,299.00
Tax	\$8,069.18
Shipping	\$5,400.00
TOTAL	\$124,768.18

Tax Information Postal Code '95422-9113'
Sales Tax for ZipPlus4 range: 95422-9113 to 95422-9113
UNINCORPORATED, CA (LAKE County)
State of CA 7.25%
Total Tax 7.25%

tax 8279.50
Total 124978.50

Elena Villanueva

From: Vinson Myrick
Sent: Friday, July 24, 2026 12:19 PM
To: Christopher Becker
Subject: Fw: valve trailer quote

From: Sales <sales@MTechCompany.com>
Sent: Monday, April 6, 2026 5:28 AM
To: Vinson Myrick <Vinson.Myrick@lakecountyca.gov>
Subject: [EXTERNAL] Re: valve trailer quote

Hello,

We are only the dealer for Ohio, Michigan, Kentucky, Pennsylvania, and Indiana. Please contact the manufacturer directly so that they may lead you over to their closest location to you.

Sincerely,



Shannon Langham

Office Manager

5642 Transportation Blvd.

Garfield Hts., OH 44125

Main: 800.362.0240

mtechcompany.com

From: Vinson Myrick <Vinson.Myrick@lakecountyca.gov>
Sent: Friday, April 3, 2026 5:27 PM
To: Sales <sales@MTechCompany.com>
Subject: valve trailer quote

You don't often get email from vinson.myrick@lakecountyca.gov. [Learn why this is important](#)

Hello I'm with lake county special districts. I am looking for a quote on a valve exerciser trailer/ Vacuum set up. Looking for it to have a 250 to 300 gall vac tank, a diesel main engine and a pressure washer. The billing address will be 230 north main lake port ca 95451 and the shipping address will be 2485 old highway 53 Clearlake ca 95422. Let me know if you have any questions. Thank you.

Elena Villanueva

From: Vinson Myrick
Sent: Friday, July 24, 2026 12:26 PM
To: Christopher Becker
Subject: Fw: [EXTERNAL] Fw: Valve exerciser trailer

From: vinson Myrick <vinsonmyrick@ymail.com>
Sent: Monday, April 6, 2026 7:23 AM
To: Vinson Myrick <Vinson.Myrick@lakecountyca.gov>
Subject: [EXTERNAL] Fw: Valve exerciser trailer

[Yahoo Mail: Search, Organize, Conquer](#)

----- Forwarded Message -----

From: "Mike Epsky" <Mike.Epsky@sourcewell-mn.gov>
To: "vinsonmyrick@ymail.com" <vinsonmyrick@ymail.com>
Sent: Mon, Apr 6, 2026 at 7:11 AM
Subject: Valve exerciser trailer
Vinson -

I'm sorry, but Valve exercising trailers is not something we have on contract at this time. We have had numerous requests, so I would be surprised if a year from now we didn't have options for you.

Mike Epsky | Sr. Supplier Development Executive

Office: 218-541-5355 | **Cell:** 612-790-5396
Website: sourcewell-mn.gov

Sourcewell 

 [Book time to meet with me](#)

From: Heidi Murray <Heidi.Murray@sourcewell-mn.gov>
Sent: Friday, April 3, 2026 5:53 PM
To: Mike Epsky <Mike.Epsky@sourcewell-mn.gov>
Subject: FW: Thank you for your inquiry — we're on it! [ref:!00D1I0oTrZ.!500PI01R5XCz:ref]

Hi Mike –

E-mail related to case 80923.

Thank you 😊

Heidi Murray | Senior Supplier Development Specialist

Office: 218-895-4119 Cell: 320-491-2443

Website: sourcewell-mn.gov



From: vinson Myrick <vinsonmyrick@ymail.com>
Sent: Friday, April 3, 2026 5:08 PM
To: Heidi Murray <Heidi.Murray@sourcewell-mn.gov>
Subject: RE: Thank you for your inquiry — we're on it! [ref:!00D1I0oTrZ.!500PI01R5XCz:ref]

You don't often get email from vinsonmyrick@ymail.com. [Learn why this is important](#)

EXTERNAL

Wachs valve turner. Or hurco technology. Its used in water treatment systems to manually turn the main valves in the street. My company is making me get 5 quotes to purchase on and im having a hard time doing so.

[Yahoo Mail: Search, Organize, Conquer](#)

On Fri, Apr 3, 2026 at 2:44 PM, Heidi Murray

<heidi.murray@sourcewell-mn.gov> wrote:

Good afternoon Vinson -

Thank you for reaching out. Can you provide the name of a company that would provide such a product or what the product is used for? We are trying to find a supplier that might offer such a product, be need more information.

Thank you -

Please use "Reply All" when responding to this email to ensure quicker and more efficient assistance.

Heidi Murray | Senior Supplier Development Specialist

Office: 218-895-4119 | Cell: (320) 491-2443

Website: www.sourcewell-mn.gov

border=0 width=159 id="Sourcewell Logo" src="https://www.sourcewell-mn.gov/sites/default/files/Logo_Signature_NoPadding.png">

----- Original Message -----

From:

Sent: 4/3/2026, 4:12 PM

To: vinsonmyrick@gmail.com

Subject: Thank you for your inquiry — we're on it!

vinson myrick,

Thanks for reaching out. We received your inquiry and are already working on it. You can expect to hear back within 1-2 business days. In the meantime, [check out our FAQs](#) for quick answers to common questions.

If you need help right away, please call us at 877-585-9706. We're available Monday-Friday, 8 a.m.-4:30 p.m. CT.

Below is a quick summary of your inquiry for your convenience.

Case #: 00080923

Case subject: inquiry

Case description: is there any sourcewell water valve exercise trailers?

Thank you for choosing Sourcewell. We appreciate your patience and look forward to assisting you.


Warm regards,

Sourcewell Service Team

Phone: 877-585-9706

Website: sourcewell-mn.gov

Sourcewell 



ref:!00D1I0oTrZ.!500Pl01R5XCz:ref